

# Machine learning to improve organ donation rates and make better matches

Artificial Intelligence Based Transplant Decision Support System

12-15 December 2023 Homa Hotel, Tehran

**Nephrology, Dialysis** 

and Transplantation

(ICNDT)

## Background


- ✓ Every year, in the US, hundreds of thousands of patients receive life-saving, cost-effective organ transplants, while thousands still wait, and over five hundreds die because not enough organs are available.
- ✓ As the demand for kidney transplants continues to rise, it's crucial for us to gain insights into the factors contributing to organ failure and explore effective solutions.

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9970360/



#### ✓ Potential Donors

It is currently very difficult to predict which potential Donation after Circulatory Death (DCD) donors will die within a timeframe that permits successful organ donation








#### ✓ Recipients

The current recipient decision process is based on very limited and crude information and does not provide very insightful decision-making information.



TEHIRAN 2023



In 2021, there were:


- ✓25,487 transplants
- ✓139,025 people waiting for a transplant
- ✓ 5,011 people who died while waiting for a transplant
- ✓ 4,056 individuals too sick for a transplant







\$1.2 Million in Health Canada Funding for Revolutionary AI-Based Organ Transplant Solution.



TEHIRAN 2023

https://www.ic.gc.ca/eic/site/101.nsf/eng/00070.html



## Balancing the Transplant Gap

- ✓ A decision support tool can be the key to balancing the gap between donor and recipient pools:
  - Expanding/enlarging the donor pool
  - Improving the transplant outcome through a higher quality matchmaking





## Balancing the Transplant Gap

- ✓ In addition, understanding when organ failure occurs is vital for timely interventions.
- ✓ Early detection can significantly impact the success of kidney transplants, emphasizing the need for comprehensive monitoring.








- ✓ Organnect.ai provides end-to-end solutions for:
  - DCD Donor death prediction
  - Pre-Transplant matchmaking
  - Post-Transplant monitoring









- ✓ Individualized prediction of time of death with confidence interval.
- ✓ Personalized probability of death for a 30-day time horizon.





- ✓ Provides probability of organ failure for a pair of donor and recipient over an extended time horizon.
- ✓ Ranks the candidates based on predicted outcomes.
- ✓ Provides evidence-based prediction learnt from previous matches.





- ✓ Provides probability of organ failure for the transplant recipient for an extended time period
- ✓ Predicts the effect of immunosuppressive regimens and care plan on the graft functionality



## Training Data

- ✓ Scientific Registry of Transplant Recipient (SRTR) database is collected by Organ Procurement and Transplant Network (OPTN) on transplant programs and organ procurement organizations.
- ✓ This database has transplant records of a number of organs. But for the purpose of this project, only the Kidney Transplant data was used for training and development of our model.

## Training Data

- ✓ The total number of records of kidney transplants is 458,506 which includes the patients from 1987 to 2020.
- ✓ The SRTR dataset consists of several tables to track the patients before and after the transplant surgery. The organ matching/monitoring module uses tables with the stage "Pre" for pre-graft and "Post" for post-graft modules.





# Training Data

Table	Stage	# of Selected Variables
DONOR_DECEASED	Pre/Post	65
DONOR_DISPOSITION	Pre/Post	2
DONOR_LIVE	Pre/Post	64
IMMUNO	Post	52
FOL_IMMUNO	Post	51
REC_HISTO	Pre/Post	74
TX_KI	Pre/Post	115
TXF_KI	Post	41
	Total	472





- ✓ Case Study: #1 2010
- ✓ Organnect.ai as a decision support tool Pre-Transplant.
- ✓ Kidney Transplant Record from US Transplant Center





#### Donor:


- ✓ Male Age of 48
- **✓**BMI of 40
- ✓ Cause of death: Stroke
- ✓ History hypertension
- ✓ No history of diabetes
- ✓ Terminal serum creatinine 2.12 mg/dl

#### Recipient:

- ✓ Male Age of 55
- ✓ Diagnosed for Hypertensive Nephrosclerosis
- ✓ Considering only pretransplant variables




- ✓ Low chance of graft survival after transplant
- ✓ High KDPI, KDRI consistent with Organnect.ai that donor is not a suitable candidate





- ✓ Consistent low probability of graft survival in next years
- ✓ Narrow confidence interval across all predictions



Prediction:

✓24% chance of graft survival in year 1

Outcome:

✓ Graft failure in 2.5 months





- ✓ Case: #2- 2011
- ✓ Organnect.ai as a decision support tool Post-Transplant.
- ✓ Kidney Transplant Record from US Transplant Center





#### Donor:

- ✓ Male Age of 39
- ✓BMI of 33
- ✓ Cause of death Anoxia
- ✓ No history of diabetes or hypertension
- ✓ Terminal serum creatinine 0.6 mg/dl


#### Recipient:


- ✓ Female Age of 49
- ✓ Considering only pretransplant variables
- ✓ Diagnosed for Systemic Lupus Erythematosus (SLE)
- ✓ Transplant Year 2011
- ✓ Graft loss in 45 months due to chronic rejection



## Integration Into Hospitals

✓ Integration with current EHR/patient management systems








## Comparison

- ✓ Personalized and interpretable predictions
- ✓ Considers all donors and recipients clinical measurements
- ✓ Updated and real-time prediction as new data becomes available

















## Advantages

- ✓ Better hospital resource management for transplantation
- ✓Inform caregivers about status of patient in real-time
- ✓ Continuously learn from new ICU/transplant data
- ✓ Cloud-based system which can integrate into existing tools





#### Peer Reviewed

- ✓ A Survival Model based on Sequence to Sequence Architecture (2022) Machine Learning for Healthcare
- ✓ Comparison Of EPTS And PRA With An AI Based Model To Predict Short Term Transplant Survivorship (2023) ATC
- ✓ Organ Survival Prediction Of High Risk Recipients Based On Reverse Survival Model (2023) ATC



#### Thank You!



